

EST. 1947





FEATURES

COMPACT WALL LIGHT FEATURING DOMED END CAPS WITH KNURLED DETAILING AND A MATT OPAL GLASS DIFFUSER GIVING SOFT AMBIENT LIGHT. ALSO SUITABLE FOR CORRIDORS AND BATHROOMS, IP44.

MATERIAL

STEEL WITH GLASS

FINISH

BRUSHED BRASS (BRB) WITH MATT OPAL GLASS

RECOMMENDED LAMP

1 X E14 4W LED 2700K

CERTIFICATIONS

C 는 방 VL 🛓 IP44

DIMENSIONS



FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL WITH GLASS	DIMMING TYPE	PHASE
FINISH	BRUSHED BRASS (BRB)	INSULATION RATING	CLASS I
	WITH MATT OPAL GLASS	IP RATING	IP44
LAMPHOLDER TYPE	E14	BATHROOM ZONE	ZONE 2
RECOMMENDED LAMP	1 X E14 4W LED 2700K	PROJECTION	90MM
MAX WATTAGE (RETROFIT)	30W	NET PRODUCT WEIGHT	1.2KG
CE	YES	OVERALL HEIGHT AS SHOWN	290MM
UKCA	YES	OVERALL WIDTH AS SHOWN	70MM
UL	YES	OVERALE WIDTH AS SHOWN	7 (10110)
DIMMARI E AS STANDARD?	VES		

FOR MORE INFORMATION ABOUT THIS PRODUCT:


Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

- CHELSOM -


EST. 1947












GM/66/W1

Revision B

- CHELSOM -

EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE



www.chelsom.co.uk