

EST. 1947





FEATURES

A WARM WHITE LED HEADBOARD READING LIGHT IS HOUSED WITHIN A RECTANGULAR HEAD THAT SWIVELS $90\hat{A}^{\circ}$ LEFT, RIGHT OR FORWARD AND 'DOCKS' INTO A SEMI RECESSED BACKPLATE, WHICH CAN BE VERTICALLY OR HORIZONTALLY MOUNTED. HAS A COLOUR CO-ORDINATED METAL PUSH SWITCH ON THE BACKPLATE.

MATERIAL

STEEL AND ALUMINIUM

FINISH

BRUSHED NICKEL (BN)

CERTIFICATIONS

DIMENSIONS



FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL AND ALUMINIUM	DIMMABLE AS STANDARD?	BY REQUEST ONLY
FINISH	BRUSHED NICKEL (BN)	INSULATION RATING	CLASS I
LAMPHOLDER TYPE	INTEGRAL LED	IP RATING	IP20
INTEGRAL LIGHT SOURCE	LED 1W 2700K	WIDTH	50
COLOUR TEMPERATURE	2700K	HEIGHT	178
WATTAGE (W) - INTEGRAL LED	1W	PROJECTION	108MM
CE	YES	BACKPLATE DIMENSIONS	178 X 50MM
UKCA	YES	CUTOUT DIMENSIONS	150 X 32MM
UL	YES	NET PRODUCT WEIGHT	0.35KG
DRIVER LOCATION	INTEGRAL	OVERALL HEIGHT AS SHOWN	178MM
SWITCH TYPE	PUSH	OVERALL WIDTH AS SHOWN	50MM


FOR MORE INFORMATION ABOUT THIS PRODUCT:


Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

- CHELSOM -

EST. 1947








LED/5/1/SW

Revision A

www.chelsom.co.uk


- CHELSOM -

EST. 1947



SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



Non-replaceable light source



Control gear replaceable by qualified person

www.chelsom.co.uk