



FEATURES

ELEGANT BATHROOM LIGHTING FOR CONTEMPORARY INTERIORS. THE LED LIGHT FROM THIS IP44 BATHROOM WALL LIGHT SPREADS EVENLY THROUGH THE OPAL DIFFUSER AND REFLECTS OFF THE CURVED BACKPLATE. ALSO SUITABLE FOR HORIZONTAL MOUNTING.

MATERIAL

STEEL WITH ACRYLIC


FINISH

BRUSHED BRASS (BRB) WITH OPAL ACRYLIC

CERTIFICATIONS

CE UK CA IP44

DIMENSIONS



FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL WITH ACRYLIC	DIMMABLE AS STANDARD?	BY REQUEST ONLY
FINISH	BRUSHED BRASS (BRB) WITH OPAL ACRYLIC	INSULATION RATING	CLASS I
LAMPHOLDER TYPE	INTEGRAL LED	IP RATING	IP44
INTEGRAL LIGHT SOURCE	LED 4W 2700K	BATHROOM ZONE	ZONE 2
COLOUR TEMPERATURE	2700K	PROJECTION	90MM
WATTAGE (W) - INTEGRAL LED	4W	BACKPLATE DIMENSIONS	120 X 60MM
CE	YES	NET PRODUCT WEIGHT	1KG
UKCA	YES	OVERALL HEIGHT AS SHOWN	400MM
UL	FOR UL PLEASE ENQUIRE.	OVERALL WIDTH AS SHOWN	100MM
DRIVER LOCATION	INTEGRAL		

FOR MORE INFORMATION ABOUT THIS PRODUCT:





Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

wordpress-700079-2614039.cloudwaysapps.com

— CHELSOM —


EST. 1947



— CHELSOM —


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source
of Energy Efficiency Class E
Regulation 2021 No. 1095



LED light source
replaceable by
qualified person



Control gear
replaceable by
qualified person

www.chelsom.co.uk