

EST. 1947





FEATURES

IP44 BATHROOM WALL LIGHT WITH TWO ILLUMINATED LED TUBES. ALSO SUITABLE FOR HORIZONTAL MOUNTING. SUPPLIED FLAT-PACKED TO REDUCE PACKAGING VOLUME AND CARBON FOOTPRINT.

MATERIAL

STEEL WITH ACRYLIC

FINISH

SATIN BLACK (BL) WITH CLEAR FROSTED ACRYLIC

CERTIFICATIONS

DIMENSIONS



FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL WITH ACRYLIC	DIMMABLE AS STANDARD?	BY REQUEST ONLY
FINISH	SATIN BLACK (BL) WITH	INSULATION RATING	CLASSI
	CLEAR FROSTED ACRYLIC	IP RATING	IP44
LAMPHOLDER TYPE	INTEGRAL LED	BATHROOM ZONE	ZONE 2
INTEGRAL LIGHT SOURCE	LED 6W 2700K	PROJECTION	85MM
COLOUR TEMPERATURE	2700K		
WATTAGE (W) - INTEGRAL LED	6W	BACKPLATE DIMENSIONS	120 X 60MM
• •		NET PRODUCT WEIGHT	1.4KG
CE	YES	OVERALL HEIGHT AS SHOWN	650MM
UKCA	YES	OVERALL WIDTH AS SHOWN	60MM
UL	YES	OTENALE MID ITTAG STOTIN	00111111
DRIVER LOCATION	INTEGRAL		

FOR MORE INFORMATION ABOUT THIS PRODUCT:


Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400


- CHELSOM -


EST. 1947












BW/82 Revision A

www.chelsom.co.uk

- CHELSOM -


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE



SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



LED light source replaceable by qualified person



Control gear replaceable by qualified person

www.chelsom.co.uk