

EST. 1947





FEATURES

MATT OPAL GLOBES EMIT SOFT DIFFUSED LIGHT INSIDE A SPARKLING CLEAR GLASS CYLINDER. IP44 RATED AND CAN BE USED IN BATHROOMS.

MATERIAL

STEEL AND GLASS


FINISH

BRUSHED BRASS (BRB) WITH MATT OPAL AND CLEAR GLASS

CERTIFICATIONS

C € ĽK ± IP44

DIMENSIONS



FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL AND GLASS	DIMMABLE AS STANDARD?	BY REQUEST ONLY
FINISH	BRUSHED BRASS (BRB)	INSULATION RATING	CLASSI
	WITH MATT OPAL AND CLEAR GLASS	IP RATING	IP44
LAMPHOLDER TYPE	INTEGRAL LED	BATHROOM ZONE	ZONE 2
INTEGRAL LIGHT SOURCE	2 X LED 3W 2700K	PROJECTION	150MM
COLOUR TEMPERATURE	2700K	BACKPLATE DIMENSIONS	290 X 80MM
WATTAGE (W) - INTEGRAL LED	6W	NET PRODUCT WEIGHT	2KG
CE	YES	OVERALL HEIGHT AS SHOWN	550MM
UKCA	YES	OVERALL WIDTH AS SHOWN	120MM
UL	FOR UL PLEASE ENQUIRE.		
DRIVER LOCATION	INTEGRAL		

FOR MORE INFORMATION ABOUT THIS PRODUCT:


Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400


-CHELSOM-


EST. 1947











DT/14/W2


Revision A

www.chelsom.co.uk

- CHELSOM -


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE



SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



Non-replaceable light source



Control gear replaceable by qualified person

www.chelsom.co.uk