



FEATURES

SLIM BRUSHED BRASS DISCS CONCEAL DIMMABLE WARM LED LIGHT WHICH PROJECTS INTO THE THICK SCULPTURED GLASS DRAMATICALLY ILLUMINATING THE MOULDED PATTERN AND THE OUTER PERIMETER. THE PENDANT IS SUPPLIED WITH FIXED SUSPENSION RODS PLUS THREE CONNECTABLE 500MM RODS TO ALLOW A VARIETY OF LENGTHS. MINIMUM ORDER QUANTITIES APPLY - PLEASE ENQUIRE.

MATERIAL

STEEL AND GLASS

FINISH

BRUSHED BRASS WITH CLEAR SCULPTURE GLASS

CERTIFICATIONS

CE UK CA IP20

DIMENSIONS



FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL AND GLASS	SUSPENSION TYPE	FIXED ROD
FINISH	BRUSHED BRASS WITH CLEAR SCULPTURE GLASS	DIMMABLE AS STANDARD?	YES
LAMPHOLDER TYPE	INTEGRAL LED	DIMMING TYPE	1-10V
INTEGRAL LIGHT SOURCE	3 X LED 6W 2700K	INSULATION RATING	CLASS I
COLOUR TEMPERATURE	2700K	IP RATING	IP20
WATTAGE (W) - INTEGRAL LED	18W	MINIMUM DROP	935MM
CE	YES	MAXIMUM DROP	1935MM
UKCA	YES	CEILING PLATE DIMENSIONS	400MM DIAMETER
UL	FOR UL PLEASE ENQUIRE.	NET PRODUCT WEIGHT	15KG
DRIVER LOCATION	INTEGRAL	OVERALL WIDTH AS SHOWN	620MM

FOR MORE INFORMATION ABOUT THIS PRODUCT:




Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

wordpress-700079-2614039.cloudwaysapps.com

— CHELSOM —


EST. 1947



— CHELSOM —


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



LED light source replaceable by qualified person



Control gear replaceable by qualified person