

EST. 1947





FEATURES

A WARM WHITE LED HEADBOARD READING LIGHT IS HOUSED WITHIN A RECTANGULAR HEAD THAT SWIVELS 90° LEFT, RIGHT OR FORWARD AND 'DOCKS' INTO A SEMI RECESSED BACKPLATE, WHICH CAN BE VERTICALLY OR HORIZONTALLY MOUNTED. FOR THE USA MARKET, THE PRODUCT CAN BE HARDWIRED OR SUPPLIED WITH CABLE AND PLUG.

MATERIAL

STEEL AND ALUMINIUM

FINISH

GOLDEN BRONZE (GB)

CERTIFICATIONS

DIMENSIONS



FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL AND ALUMINIUM	SWITCH TYPE	DOCKING SWITCH
FINISH	GOLDEN BRONZE (GB)	DIMMABLE AS STANDARD?	BY REQUEST ONLY
LAMPHOLDER TYPE	INTEGRAL LED	INSULATION RATING	CLASS I
INTEGRAL LIGHT SOURCE	LED 1W 2700K	IP RATING	IP20
COLOUR TEMPERATURE	2700K	PROJECTION	108MM
WATTAGE (W) - INTEGRAL LED	1W	BACKPLATE DIMENSIONS	153 X 50MM
CE	YES	CUTOUT DIMENSIONS	120 X 32MM
UKCA	YES	NET PRODUCT WEIGHT	0.35KG
UL	YES	OVERALL HEIGHT AS SHOWN	153MM
DRIVER LOCATION	INTEGRAL	OVERALL WIDTH AS SHOWN	50MM


FOR MORE INFORMATION ABOUT THIS PRODUCT:

Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

- CHELSOM -

EST. 1947






LED/5/1
Revision A

www.chelsom.co.uk

- CHELSOM -

EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE



SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



Non-replaceable light source



Control gear replaceable by qualified person

www.chelsom.co.uk