



#### FEATURES

INTEGRAL LED LIGHT SOURCES IN THE BASE OF THE GLASS ICICLES THROW LIGHT UPWARDS GIVING A WARM AMBIENT GLOW WHILST REFLECTING OFF THE TINY SILVER LEAF FLECKS WITHIN THE HANDMADE GLASS. ARMS CURVE UPWARDS AND DOWNWARDS TO GIVE A RANDOM FEEL TO THE HEIGHTS OF THE ICICLE GLASSES. GLASS ICICLES ARE HANDMADE AND MAY HAVE SLIGHT VARIATIONS.

#### MATERIAL

STEEL AND GLASS


#### FINISH

ENGLISH BRASS WITH SILVER-FLECKED CLEAR GLASS

#### CERTIFICATIONS

CE UK CA IP20

#### DIMENSIONS



## FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL AND GLASS	DIMMING TYPE	1-10V
FINISH	ENGLISH BRASS WITH SILVER-FLECKED CLEAR GLASS	INSULATION RATING	CLASS I
LAMPHOLDER TYPE	INTEGRAL LED	IP RATING	IP20
INTEGRAL LIGHT SOURCE	2 X LED 3W 2700K	WIDTH	245
COLOUR TEMPERATURE	2700K	HEIGHT	700
WATTAGE (W) - INTEGRAL LED	6W	PROJECTION	230MM
CE	YES	BACKPLATE DIMENSIONS	170MM DIAMETER
UKCA	YES	NET PRODUCT WEIGHT	4KG
UL	FOR UL PLEASE ENQUIRE.	OVERALL HEIGHT AS SHOWN	700MM
DRIVER LOCATION	INTEGRAL	OVERALL WIDTH AS SHOWN	245MM
DIMMABLE AS STANDARD?	YES		

### FOR MORE INFORMATION ABOUT THIS PRODUCT:





Email: [sales@chelsom.co.uk](mailto:sales@chelsom.co.uk) | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

[wordpress-700079-2614039.cloudwaysapps.com](https://wordpress-700079-2614039.cloudwaysapps.com)

# — CHELSOM —

EST. 1947



**IC/24/W2**


**Revision A**

[www.chelsom.co.uk](http://www.chelsom.co.uk)

# — CHELSOM —


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




## SLR Information

This product contains a light source  
of Energy Efficiency Class E  
Regulation 2021 No. 1095



LED light source  
replaceable by  
qualified person



Control gear  
replaceable by  
qualified person

[www.chelsom.co.uk](http://www.chelsom.co.uk)