



#### FEATURES

A DISCREET RECESSED HEADBOARD READING LIGHT, NEARLY ENTIRELY FLUSH, WITH OPENING LIP FEATURE WHICH ENABLES ROTATION AND AUTOMATIC LIGHT OPERATION. PROVIDES A FULL RANGE OF WARM DIRECTIONAL READING LIGHT.

#### MATERIAL

STEEL AND ALUMINIUM


#### FINISH

MATT WHITE (MW)

#### CERTIFICATIONS

CE UK CA UL IP20

#### DIMENSIONS



## FULL TECHNICAL SPECIFICATION

|                                   |                     |                                |                 |
|-----------------------------------|---------------------|--------------------------------|-----------------|
| <b>MATERIAL</b>                   | STEEL AND ALUMINIUM | <b>SWITCH TYPE</b>             | DOCKING SWITCH  |
| <b>FINISH</b>                     | MATT WHITE (MW)     | <b>DIMMABLE AS STANDARD?</b>   | BY REQUEST ONLY |
| <b>LAMPHOLDER TYPE</b>            | INTEGRAL LED        | <b>INSULATION RATING</b>       | CLASS II        |
| <b>INTEGRAL LIGHT SOURCE</b>      | LED 1W 2700K        | <b>IP RATING</b>               | IP20            |
| <b>COLOUR TEMPERATURE</b>         | 2700K               | <b>PROJECTION</b>              | 17MM            |
| <b>WATTAGE (W) - INTEGRAL LED</b> | 1W                  | <b>BACKPLATE DIMENSIONS</b>    | 94MM DIAMETER   |
| <b>CE</b>                         | YES                 | <b>CUTOUT DIMENSIONS</b>       | 75MM DIAMETER   |
| <b>UKCA</b>                       | YES                 | <b>NET PRODUCT WEIGHT</b>      | 0.35KG          |
| <b>UL</b>                         | YES                 | <b>OVERALL HEIGHT AS SHOWN</b> | 94MM            |
| <b>DRIVER LOCATION</b>            | REMOTE              | <b>OVERALL WIDTH AS SHOWN</b>  | 94MM            |

### FOR MORE INFORMATION ABOUT THIS PRODUCT:





Email: [sales@chelsom.co.uk](mailto:sales@chelsom.co.uk) | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

[wordpress-700079-2614039.cloudwaysapps.com](https://wordpress-700079-2614039.cloudwaysapps.com)


# — CHELSOM —

EST. 1947



Ø75  
Cutout In Headboard


SEE PAGE 3





# — CHELSOM —

EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




#### RANGE OF MOVEMENT




Left/right movement, max. 80° each way

#### SLR Information

This product contains a light source  
of Energy Efficiency Class E  
Regulation 2021 No. 1095



Non-replaceable  
light source



Control gear  
replaceable by  
qualified person

[www.chelsom.co.uk](http://www.chelsom.co.uk)