

EST. 1947





FEATURES

A TINY POINT OF LED LIGHT PROJECTS A SPARKLING GLOW INTO SCULPTURED CRACKLE GLASS PEAR WHICH THEN REFLECTS DELICATE PATTERNS ONTO THE WALL.

MATERIAL

STEEL AND GLASS

FINISH

BRUSHED BRASS WITH CLEAR CRACKLE GLASS

CERTIFICATIONS

C € 받 \pm IP20

DIMENSIONS

FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL AND GLASS	DIMMABLE AS STANDARD?	BY REQUEST ONLY
FINISH	BRUSHED BRASS WITH	INSULATION RATING	CLASSI
	CLEAR CRACKLE GLASS	IP RATING	IP20
LAMPHOLDER TYPE	INTEGRAL LED	PROJECTION	145MM
INTEGRAL LIGHT SOURCE	LED 1W 2700K	MINIMUM DROP	300MM
COLOUR TEMPERATURE	2700K	MAXIMUM DROP	1270MM
WATTAGE (W) - INTEGRAL LED	1W	BACKPLATE DIMENSIONS	100MM DIAMETER
CE	YES		
UKCA	YES	NET PRODUCT WEIGHT	0.65KG
UNCA	TES	OVERALL WIDTH AS SHOWN	100MM
UL	FOR UL PLEASE ENQUIRE.		


FOR MORE INFORMATION ABOUT THIS PRODUCT:


Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400


— CHELSOM —


EST. 1947












PX/14/W1 Revision A

www.chelsom.co.uk

- CHELSOM -


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE



SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



Non-replaceable light source



Control gear replaceable by qualified person

www.chelsom.co.uk