AUBERGE

EST. 1947



FEATURES

A SQUARE EBONY WOODEN COLUMN WITH TOP AND BOTTOM BRUSHED BRASS METAL CAPS SUPPORTS AN ASYMMETRIC LONG TAPERED FABRIC SHADE WHICH SITS CLOSE TO THE UPRIGHT. INCLUDES A DIRECTIONAL SWITCHED LED READING LIGHT WITH INTEGRAL DRIVER IN THE BACKPLATE.

MATERIAL

WOOD AND STEEL

FINISH

EBONY WITH BRUSHED BRASS

RECOMMENDED LAMP

1 X E27 7W LED 2700K PLUS 1 X LED 1W 2700K

CERTIFICATIONS

C € 남 → IP20

DIMENSIONS

FULL TECHNICAL SPECIFICATION


MATERIAL	WOOD AND STEEL	DRIVER LOCATION	INTEGRAL
FINISH	EBONY WITH BRUSHED BRASS	DIMMABLE AS STANDARD?	BY REQUEST ONLY
		INSULATION RATING	CLASS I
LAMPHOLDER TYPE	E27 AND INTEGRAL LED	IP RATING	IP20
RECOMMENDED LAMP	1 X E27 7W LED 2700K PLUS 1 X LED 1W 2700K	PROJECTION	207MM
COLOUR TEMPERATURE	2700K	BACKPLATE DIMENSIONS	100MM DIAMETER
MAX WATTAGE (RETROFIT)	30W	NET PRODUCT WEIGHT	0.8KG
WATTAGE (W) - INTEGRAL LED	1W	OVERALL HEIGHT AS SHOWN	530MM
CE	YES	OVERALL WIDTH AS SHOWN	150MM
UKCA	YES		
UL	FOR UL PLEASE ENQUIRE.		


FOR MORE INFORMATION ABOUT THIS PRODUCT:


Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400


- CHELSOM -

EST. 1947









AB/24/W1/LED


Revision A

www.chelsom.co.uk

- CHELSOM -

EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE



SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



Non-replaceable light source



Control gear replaceable by qualified person

www.chelsom.co.uk