



FEATURES

DIMMABLE INTEGRAL LED LIGHT SOURCE GIVES AMBIENT LIGHT THROUGH PERFORATED METAL FRAME WITH SOFT DIFFUSED DOWNLIGHT FROM OPAL ACRYLIC DIFFUSERS TOP AND BOTTOM.

MATERIAL

STEEL AND ACRYLIC

FINISH

GOLDEN BRONZE METALWORK WITH MATT OPAL ACRYLIC

CERTIFICATIONS

CE UK CA IP20

DIMENSIONS



FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL AND ACRYLIC	DIMMING TYPE	1-10V
FINISH	GOLDEN BRONZE METALWORK WITH MATT OPAL ACRYLIC	INSULATION RATING	CLASS I
LAMPHOLDER TYPE	INTEGRAL LED	IP RATING	IP20
INTEGRAL LIGHT SOURCE	LED 8W 2700K	WIDTH WITH SHADE	285
COLOUR TEMPERATURE	2700K	HEIGHT WITH SHADE	120
WATTAGE (W) - INTEGRAL LED	8W	PROJECTION	100MM
CE	YES	BACKPLATE DIMENSIONS	120 X 285MM
UKCA	YES	NET PRODUCT WEIGHT	1KG
UL	FOR UL PLEASE ENQUIRE.	OVERALL HEIGHT AS SHOWN	120MM
DRIVER LOCATION	INTEGRAL	OVERALL WIDTH AS SHOWN	285MM
DIMMABLE AS STANDARD?	YES		

FOR MORE INFORMATION ABOUT THIS PRODUCT:





Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

wordpress-700079-2614039.cloudwaysapps.com

— CHELSOM —

EST. 1947



AD/35/WW


www.chelsom.co.uk

Revision A

— CHELSOM —


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source
of Energy Efficiency Class E
Regulation 2021 No. 1095



LED light source
replaceable by
qualified person



Control gear
replaceable by
qualified person

www.chelsom.co.uk