



#### FEATURES

IP44 BATHROOM WALL LIGHT WITH HEXAGONAL DETAILED END CAPS AND FAUX ALABASTER DIFFUSERS. SUITABLE FOR BEDSIDE, CORRIDORS AND PUBLIC SPACES, THIS WALL LIGHT MAY ALSO BE MOUNTED HORIZONTALLY.

#### MATERIAL

STEEL WITH ACRYLIC


#### FINISH

BRUSHED BRASS (BRB) WITH FAUX ALABASTER

#### CERTIFICATIONS

CE UK CA IP44

#### DIMENSIONS



## FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL WITH ACRYLIC	DIMMABLE AS STANDARD?	BY REQUEST ONLY
FINISH	BRUSHED BRASS (BRB) WITH FAUX ALABASTER	INSULATION RATING	CLASS I
LAMPHOLDER TYPE	INTEGRAL LED	IP RATING	IP44
INTEGRAL LIGHT SOURCE	LED 10W 2700K	BATHROOM ZONE	ZONE 2
COLOUR TEMPERATURE	2700K	PROJECTION	105MM
WATTAGE (W) - INTEGRAL LED	10W	BACKPLATE DIMENSIONS	340 X 50MM
CE	YES	NET PRODUCT WEIGHT	3KG
UKCA	YES	OVERALL HEIGHT AS SHOWN	400MM
UL	FOR UL PLEASE ENQUIRE.	OVERALL WIDTH AS SHOWN	90MM
DRIVER LOCATION	INTEGRAL		

### FOR MORE INFORMATION ABOUT THIS PRODUCT:






Email: [sales@chelsom.co.uk](mailto:sales@chelsom.co.uk) | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

[wordpress-700079-2614039.cloudwaysapps.com](https://wordpress-700079-2614039.cloudwaysapps.com)

# — CHELSOM —


EST. 1947



# — CHELSOM —


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




## SLR Information

This product contains a light source  
of Energy Efficiency Class E  
Regulation 2021 No. 1095



LED light source  
replaceable by  
qualified person



Control gear  
replaceable by  
qualified person

[www.chelsom.co.uk](http://www.chelsom.co.uk)