



FEATURES

TINY POINTS OF LED LIGHT PROJECT A SPARKLING GLOW INTO SCULPTURED CRACKLE GLASS PEARS. THE 'PEARS' CAN BE CONFIGURED TO CREATE POINTS OF LIGHT AT THE END OF THE CHANDELIER ARMS OR SUSPENDED INDIVIDUALLY FROM A CEILING PLATE. VARIOUS SHAPES AND SIZES OF CHANDELIER STRUCTURE CAN BE ACHIEVED AS PER A CUSTOMER'S REQUIREMENT. SPEAK TO OUR TEAMS TO EXPLORE DIFFERENT OPTIONS.

MATERIAL

STEEL AND GLASS


FINISH

SATIN BLACK WITH BRUSHED BRASS AND CLEAR CRACKLE GLASS. CUSTOM FINISHES AVAILABLE.

CERTIFICATIONS

CE UKCA IP20

DIMENSIONS



Weight 7.2kg

FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL AND GLASS	SUSPENSION TYPE	CHAIN
FINISH	SATIN BLACK WITH BRUSHED BRASS AND CLEAR CRACKLE GLASS. CUSTOM FINISHES AVAILABLE.	DIMMABLE AS STANDARD?	BY REQUEST ONLY
LAMPHOLDER TYPE	INTEGRAL LED	INSULATION RATING	CLASS II
INTEGRAL LIGHT SOURCE	9 X LED 1W 2700K	IP RATING	IP20
COLOUR TEMPERATURE	2700K	MINIMUM DROP	870MM
WATTAGE (W) - INTEGRAL LED	9W	MAXIMUM DROP	CUSTOM
CE	YES	CEILING PLATE DIMENSIONS	180MM DIAMETER
UKCA	YES	NET PRODUCT WEIGHT	7.2KG
UL	FOR UL PLEASE ENQUIRE	OVERALL WIDTH AS SHOWN	1000MM
DRIVER LOCATION	REMOTE		

FOR MORE INFORMATION ABOUT THIS PRODUCT:




Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

wordpress-700079-2614039.cloudwaysapps.com


— CHELSOM —

EST. 1947




— CHELSOM —

EST. 1947




SLR Information

This product contains a light source
of Energy Efficiency Class E
Regulation 2021 No. 1095



LED light source
replaceable by
qualified person



Control gear
replaceable by
qualified person

www.chelsom.co.uk