



FEATURES

IP44 BATHROOM WALL LIGHT WITH TWO ILLUMINATED LED TUBES. ALSO SUITABLE FOR HORIZONTAL MOUNTING. SUPPLIED FLAT-PACKED TO REDUCE PACKAGING VOLUME AND CARBON FOOTPRINT.

MATERIAL

STEEL WITH ACRYLIC

FINISH

POLISHED CHROME (C) WITH CLEAR FROSTED ACRYLIC

CERTIFICATIONS

CE UK CA UL IP44

DIMENSIONS



FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL WITH ACRYLIC	DIMMABLE AS STANDARD?	BY REQUEST ONLY
FINISH	POLISHED CHROME (C) WITH CLEAR FROSTED ACRYLIC	INSULATION RATING	CLASS I
LAMPHOLDER TYPE	INTEGRAL LED	IP RATING	IP44
INTEGRAL LIGHT SOURCE	LED 6W 2700K	BATHROOM ZONE	ZONE 2
COLOUR TEMPERATURE	2700K	PROJECTION	85MM
WATTAGE (W) - INTEGRAL LED	6W	BACKPLATE DIMENSIONS	120 X 60MM
CE	YES	NET PRODUCT WEIGHT	1.4KG
UKCA	YES	OVERALL HEIGHT AS SHOWN	650MM
UL	YES	OVERALL WIDTH AS SHOWN	60MM
DRIVER LOCATION	INTEGRAL		




FOR MORE INFORMATION ABOUT THIS PRODUCT:

Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom
[wordpress-700079-2614039.cloudwaysapps.com](https://www.wordpress-700079-2614039.cloudwaysapps.com)

— CHELSOM —


EST. 1947



— CHELSOM —


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source
of Energy Efficiency Class E
Regulation 2021 No. 1095



LED light source
replaceable by
qualified person



Control gear
replaceable by
qualified person

www.chelsom.co.uk