CHELSOM
EST. 1947

BATHROOM
BATHROOM
BW/73/C




FEATURES
IP44 BATHROOM WALL LIGHT WITH HEXAGONAL DETAILED END CAPS AND FAUX ALABASTER DIFFUSERS. SUITABLE FOR BEDSIDE, CORRIDORS AND PUBLIC SPACES, THIS WALL LIGHT MAY ALSO BE MOUNTED HORIZONTALLY.

MATERIAL
STEEL WITH ACRYLIC

FINISH
POLISHED CHROME (C) WITH FAUX ALABASTER

CERTIFICATIONS
CE UKCA IP44

DIMENSIONS




FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL WITH ACRYLIC
FINISH	POLISHED CHROME (C) WITH FAUX ALABASTER
LAMPHOLDER TYPE	INTEGRAL LED
INTEGRAL LIGHT SOURCE	LED 10W 2700K
COLOUR TEMPERATURE	2700K
WATTAGE (W) - INTEGRAL LED	10W
CE	YES
UKCA	YES
UL	FOR UL PLEASE ENQUIRE.
DRIVER LOCATION	INTEGRAL
DIMMABLE AS STANDARD?	BY REQUEST ONLY
INSULATION RATING	CLASS I
IP RATING	IP44
BATHROOM ZONE	ZONE 2
PROJECTION	105MM
BACKPLATE DIMENSIONS	340 X 50MM
NET PRODUCT WEIGHT	3KG
OVERALL HEIGHT AS SHOWN	400MM
OVERALL WIDTH AS SHOWN	90MM


FOR MORE INFORMATION ABOUT THIS PRODUCT:
Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400
Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom
wordpress-700079-2614039.cloudwaysapps.com


CHELSOM


EST. 1947











BW/73


Revision A

www.chelsom.co.uk

CHELSOM


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



LED light source replaceable by qualified person



Control gear replaceable by qualified person

www.chelsom.co.uk