


EST. 1947





FEATURES

SLIM BRUSHED BRASS DISC CONCEALS DIMMABLE WARM LED LIGHT WHICH PROJECTS INTO THE THICK SCULPTURED GLASS DRAMATICALLY ILLUMINATING THE MOULDED PATTERN AND THE OUTER PERIMETER.

MATERIAL

STEEL AND GLASS

FINISH

BRUSHED BRASS WITH CLEAR SCULPTURE GLASS

CERTIFICATIONS

C € ¼ ± IP20

DIMENSIONS

FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL AND GLASS	DIMMABLE AS STANDARD?	YES
FINISH	BRUSHED BRASS WITH	DIMMING TYPE	1-10V
	CLEAR SCULPTURE GLASS	INSULATION RATING	CLASS I
LAMPHOLDER TYPE	INTEGRAL LED	IP RATING	IP20
INTEGRAL LIGHT SOURCE	LED 6W 2700K		
COLOUR TEMPERATURE	2700K	PROJECTION	MM08
COLOOR TEMPERATURE	2700K	BACKPLATE DIMENSIONS	40 X 120MM
WATTAGE (W) - INTEGRAL LED	6W	NET PRODUCT WEIGHT	3.1KG
CE	YES	OVERALL HEIGHT AS SHOWN	200111
UKCA	YES	OVERALL HEIGHT AS SHOWN	300MM
	123	OVERALL WIDTH AS SHOWN	300MM
UL	FOR UL PLEASE ENQUIRE.		
DRIVER LOCATION	INTEGRAL		


FOR MORE INFORMATION ABOUT THIS PRODUCT:


Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

-CHELSOM-

EST. 1947










VE/2/W1

Revision A

- CHELSOM -


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE



SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



LED light source replaceable by qualified person



Control gear replaceable by qualified person

www.chelsom.co.uk