CHELSOM
EST. 1947

CUBE
WALL
CB/9/WW/SW/W




FEATURES
A SIMPLE BUT EFFECTIVE PUBLIC AREA WALL LIGHT GIVING A DEFINED UP AND DOWN LIGHT PATTERN ONTO WALLS. CAN BE USED INDIVIDUALLY OR GROUPED TO MAKE A DRAMATIC DECORATIVE LIGHT EFFECT. DRIVERS ARE INTEGRAL.

MATERIAL
ALUMINIUM AND STEEL

FINISH
SOFT WHITE WITH WHITE INTERIOR (SW/W)

CERTIFICATIONS
CE UKCA IP20

DIMENSIONS




FULL TECHNICAL SPECIFICATION


MATERIAL	ALUMINIUM AND STEEL
FINISH	SOFT WHITE WITH WHITE INTERIOR (SW/W)
LAMPHOLDER TYPE	INTEGRAL LED
INTEGRAL LIGHT SOURCE	LED 5W 2700K
COLOUR TEMPERATURE	2700K
WATTAGE (W) - INTEGRAL LED	5W
CE	YES
UKCA	YES
UL	FOR UL PLEASE ENQUIRE.
DRIVER LOCATION	INTEGRAL
DIMMABLE AS STANDARD?	BY REQUEST ONLY
INSULATION RATING	CLASS I
IP RATING	IP20
PROJECTION	120MM
BACKPLATE DIMENSIONS	80 X 90MM
NET PRODUCT WEIGHT	0.65KG
OVERALL HEIGHT AS SHOWN	105MM
OVERALL WIDTH AS SHOWN	105MM


FOR MORE INFORMATION ABOUT THIS PRODUCT:
Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400
Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom
wordpress-700079-2614039.cloudwaysapps.com

CHELSOM

EST. 1947








CB/9/WW

Revision A

CHELSOM


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



LED light source replaceable by qualified person



Control gear replaceable by qualified person

www.chelsom.co.uk