



FEATURES

A SIMPLE BUT EFFECTIVE PUBLIC AREA WALL LIGHT GIVING A DEFINED UP AND DOWN LIGHT PATTERN ONTO WALLS. CAN BE USED INDIVIDUALLY OR GROUPED TO MAKE A DRAMATIC DECORATIVE LIGHT EFFECT. DRIVERS ARE INTEGRAL.

MATERIAL

ALUMINIUM AND STEEL


FINISH

BRUSHED GOLD WITH WHITE INTERIOR (BRG/W)

CERTIFICATIONS

CE UK CA IP20

DIMENSIONS



FULL TECHNICAL SPECIFICATION

MATERIAL	ALUMINIUM AND STEEL	DRIVER LOCATION	INTEGRAL
FINISH	BRUSHED GOLD WITH WHITE INTERIOR (BRG/W)	DIMMABLE AS STANDARD?	BY REQUEST ONLY
LAMPHOLDER TYPE	INTEGRAL LED	INSULATION RATING	CLASS I
INTEGRAL LIGHT SOURCE	LED 5W 2700K	IP RATING	IP20
COLOUR TEMPERATURE	2700K	PROJECTION	120MM
WATTAGE (W) - INTEGRAL LED	5W	BACKPLATE DIMENSIONS	80 X 90MM
CE	YES	NET PRODUCT WEIGHT	0.65KG
UKCA	YES	OVERALL HEIGHT AS SHOWN	105MM
UL	FOR UL PLEASE ENQUIRE.	OVERALL WIDTH AS SHOWN	105MM

FOR MORE INFORMATION ABOUT THIS PRODUCT:





Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

wordpress-700079-2614039.cloudwaysapps.com

— CHELSOM —


EST. 1947



— CHELSOM —


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source
of Energy Efficiency Class E
Regulation 2021 No. 1095



LED light source
replaceable by
qualified person



Control gear
replaceable by
qualified person

www.chelsom.co.uk