CHELSOM
EST. 1947

LUME
WALL
LM/2/W1/BL



FEATURES
DOMED METAL SHADE SWIVELS LEFT TO RIGHT USING A HANDLE TO POSITION FOR CONVENIENT TASK LIGHTING. SWINGS LEFT TO RIGHT MAKING IT IDEAL FOR BEDSIDE USE. METAL SHADE IS FINISHED WITH AN OPAL ACRYLIC DIFFUSER TO CREATE AN EVEN AMBIENT LIGHT.


MATERIAL
STEEL WITH ACRYLIC DIFFUSER

FINISH
SATIN BLACK (BL) WITH OPAL ACRYLIC DIFFUSER

RECOMMENDED LAMP
1 X E14 4.5W LED 2700K

CERTIFICATIONS
CE UKCA UL IP20

DIMENSIONS




FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL WITH ACRYLIC DIFFUSER
FINISH	SATIN BLACK (BL) WITH OPAL ACRYLIC DIFFUSER
LAMPHOLDER TYPE	E14
RECOMMENDED LAMP	1 X E14 4.5W LED 2700K
MAX WATTAGE (RETROFIT)	30W
CE	YES
UKCA	YES
UL	YES
DIMMABLE AS STANDARD?	YES
DIMMING TYPE	PHASE
INSULATION RATING	CLASS I
IP RATING	IP20
PROJECTION	280MM
BACKPLATE DIMENSIONS	120 X 60MM
NET PRODUCT WEIGHT	1.2KG
OVERALL HEIGHT AS SHOWN	447MM
OVERALL WIDTH AS SHOWN	150MM


FOR MORE INFORMATION ABOUT THIS PRODUCT:
Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400
Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom
wordpress-700079-2614039.cloudwaysapps.com

CHELSOM

EST. 1947







LM/2/W1

Revision A

CHELSOM

EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE

