



FEATURES

A DECORATIVE GUESTROOM OR PUBLIC AREA CEILING FITTING WHICH FEATURES WARMLY LIT MATT OPAL GLOBES SET ASYMMETRICALLY WITHIN BRASS RINGS. THE RINGS ROTATE AT THE END OF THE CHANDELIER ARMS SO THEY CAN BE ADJUSTED TO ANY ANGLE. SUPPLIED FLAT-PACKED TO REDUCE PACKAGING VOLUME AND CARBON FOOTPRINT.

MATERIAL

STEEL AND GLASS

FINISH

BRUSHED BRASS WITH SATIN BLACK AND MATT OPAL GLASS


RECOMMENDED LAMP

5 X E14 4.5W LED 2700K

CERTIFICATIONS

CE UK CA UL IP20

DIMENSIONS



FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL AND GLASS	DIMMABLE AS STANDARD?	YES
FINISH	BRUSHED BRASS WITH SATIN BLACK AND MATT OPAL GLASS	DIMMING TYPE	PHASE
LAMPHOLDER TYPE	E14	INSULATION RATING	CLASS I
RECOMMENDED LAMP	5 X E14 4.5W LED 2700K	IP RATING	IP20
MAX WATTAGE (RETROFIT)	30W	MINIMUM DROP	805MM
CE	YES	MAXIMUM DROP	2670MM
UKCA	YES	CEILING PLATE DIMENSIONS	160MM DIAMETER
UL	YES	NET PRODUCT WEIGHT	10KG
SUSPENSION TYPE	CHAIN	OVERALL WIDTH AS SHOWN	900MM

FOR MORE INFORMATION ABOUT THIS PRODUCT:




Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

wordpress-700079-2614039.cloudwaysapps.com

— CHELSOM —

EST. 1947



— CHELSOM —

EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE

