





AN ELEGANT WALL LIGHT FOR BATHROOM AND PUBLIC AREA USE WITH A SOFT AMBIENT LIGHT COMING THROUGH THE HEAVILY RIBBED MOULDED GLASS DIFFUSER. THE DESIGN CAN BE VERTICALLY OR HORIZONTALLY MOUNTED. THE GLASS AND FRONT METAL FRAME ARE REMOVABLE AS ONE COMPLETE UNIT FOR EASE OF INSTALLATION AND MAINTENANCE. THE DRIVER IS LOCATED INTERNALLY. SUITABLE FOR BATHROOM USE.


MATERIAL

STEEL AND GLASS

FINISH BRUSHED BRASS (BRB) WITH FROSTED GLASS

Certifications **C €** $\stackrel{\text{UK}}{\leftarrow} \stackrel{\text{L}}{=}$ IP44

DIMENSIONS



FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL AND GLASS
FINISH	BRUSHED BRASS (BRB) WITH FROSTED GLASS
LAMPHOLDER TYPE	INTEGRAL LED
INTEGRAL LIGHT SOURCE	LED 6W 2700K
COLOUR TEMPERATURE	2700K
WATTAGE (W) - INTEGRAL LED	6W
CE	YES
UKCA	YES
UL	FOR UL PLEASE ENQUIRE.
DRIVER LOCATION	INTEGRAL

DIMMABLE AS STANDARD?	BY REQUEST ONLY
INSULATION RATING	CLASS
IP RATING	IP44
BATHROOM ZONE	ZONE 2
PROJECTION	85MM
BACKPLATE DIMENSIONS	400 X 100MM
NET PRODUCT WEIGHT	1.55KG
OVERALL HEIGHT AS SHOWN	400MM
OVERALL WIDTH AS SHOWN	100MM

FOR MORE INFORMATION ABOUT THIS PRODUCT: Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

wordpress-700079-2614039.cloudwaysapps.com

