CHELSOM
EST. 1947

LED DOCK
READING
LED/5/1/BN




FEATURES
A WARM WHITE LED HEADBOARD READING LIGHT IS HOUSED WITHIN A RECTANGULAR HEAD THAT SWIVELS 90Â° LEFT, RIGHT OR FORWARD AND 'DOCKS' INTO A SEMI RECESSED BACKPLATE, WHICH CAN BE VERTICALLY OR HORIZONTALLY MOUNTED.

MATERIAL
STEEL AND ALUMINIUM

FINISH
BRUSHED NICKEL (BN)

CERTIFICATIONS
CE UKCA UL IP20

DIMENSIONS




FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL AND ALUMINIUM	**DIMMABLE AS STANDARD?**	BY REQUEST ONLY
FINISH	BRUSHED NICKEL (BN)	**INSULATION RATING**	CLASS I
LAMPHOLDER TYPE	INTEGRAL LED	**IP RATING**	IP20
INTEGRAL LIGHT SOURCE	LED 1W 2700K	**WIDTH**	50
COLOUR TEMPERATURE	2700K	**HEIGHT**	153
WATTAGE (W) - INTEGRAL LED	1W	**PROJECTION**	108MM
CE	YES	**BACKPLATE DIMENSIONS**	153 X 50MM
UKCA	YES	**CUTOUT DIMENSIONS**	120 X 32MM
UL	YES	**NET PRODUCT WEIGHT**	0.35KG
DRIVER LOCATION	INTEGRAL	**OVERALL HEIGHT AS SHOWN**	153MM
SWITCH TYPE	DOCKING SWITCH	**OVERALL WIDTH AS SHOWN**	50MM

FOR MORE INFORMATION ABOUT THIS PRODUCT:
Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400
Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom
wordpress-700079-2614039.cloudwaysapps.com

CHELSOM

EST. 1947






LED/5/1

Revision A

CHELSOM


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



Non-replaceable light source



Control gear replaceable by qualified person

www.chelsom.co.uk