

EST. 1947





FEATURES

A WARM WHITE LED HEADBOARD READING LIGHT IS HOUSED WITHIN A CYLINDRICAL HEAD THAT SWIVELS 90° LEFT, RIGHT OR FORWARD AND 'DOCKS' INTO A SEMI RECESSED BACKPLATE, WHICH CAN BE VERTICALLY OR HORIZONTALLY MOUNTED.

MATERIAL

STEEL AND ALUMINIUM

FINISH

BLACK BRONZE WITH ENGLISH BRASS (BB/EBR)

CERTIFICATIONS

C € K VL ± IP20

DIMENSIONS



FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL AND ALUMINIUM	DIMMABLE AS STANDARD?	BY REQUEST ONLY
FINISH	BLACK BRONZE WITH	INSULATION RATING	CLASS I
	ENGLISH BRASS (BB/EBR)	IP RATING	IP20
LAMPHOLDER TYPE	INTEGRAL LED	WIDTH	50
INTEGRAL LIGHT SOURCE	LED 1W 2700K	HEIGHT	178
COLOUR TEMPERATURE	2700K		1001414
WATTAGE (W) - INTEGRAL LED	1W	PROJECTION	108MM
• •		BACKPLATE DIMENSIONS	178 X 50MM
CE	YES	CUTOUT DIMENSIONS	150 X 32MM
UKCA	YES	NET PROPUST WEIGHT	0.051/0
UL	YES	NET PRODUCT WEIGHT	0.35KG
<u> </u>	123	OVERALL HEIGHT AS SHOWN	178MM
DRIVER LOCATION	INTEGRAL	OVERALL WIDTH AS SHOWN	50MM
SWITCH TYPE	PUSH	OTENALE INDITIONIN	30141141


FOR MORE INFORMATION ABOUT THIS PRODUCT:

Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

- CHELSOM -

EST. 1947





LED/5/2/SW


Revision A

www.chelsom.co.uk

-CHELSOM-


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE



SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



Non-replaceable light source



Control gear replaceable by qualified person

www.chelsom.co.uk