

EST. 1947





FEATURES

THE CYLINDRICAL HEAD HAS A BLACK ON/OFF SWITCH.
DISCRETE ROUND BACKPLATE HAS CONCEALED FIXINGS FOR
REMOTE DRIVER. PRICE INCLUDES REMOTE DRIVER.

MATERIAL

STEEL

FINISH

BRUSHED BRASS (BRB)

CERTIFICATIONS

C 은 밤 ル 🗆 IP20



DIMENSIONS



FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL	DIMMABLE AS STANDARD?	BY REQUEST ONLY
FINISH	BRUSHED BRASS (BRB)	INSULATION RATING	CLASS II
LAMPHOLDER TYPE	INTEGRAL LED	IP RATING	IP20
INTEGRAL LIGHT SOURCE	LED 1W 2700K	WIDTH	45
COLOUR TEMPERATURE	2700K	HEIGHT	45
WATTAGE (W) - INTEGRAL LED	1W	PROJECTION	130MM
CE	YES	BACKPLATE DIMENSIONS	45MM DIAMETER
UKCA	YES	CUTOUT DIMENSIONS	25MM DIAMETER
UL	YES	NET PRODUCT WEIGHT	0.15KG
DRIVER LOCATION	REMOTE	OVERALL HEIGHT AS SHOWN	45MM
SWITCH TYPE	PUSH	OVERALL WIDTH AS SHOWN	45MM


FOR MORE INFORMATION ABOUT THIS PRODUCT:


Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400


- CHELSOM -

EST. 1947










LED/10

Revision A

- CHELSOM -


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE



SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



Non-replaceable light source



Control gear replaceable by qualified person

www.chelsom.co.uk