CHELSOM
EST. 1947

LED READING
READING
LED/418/BL



FEATURES
LED READING LIGHT WITH TAPERED HEAD AND HIGH QUALITY FOCUSSING LENS. DISCREET BACKPLATE FOR REMOTE SWITCHING AND PRICE INCLUDES REMOTE DRIVER.


MATERIAL
STEEL

FINISH
SATIN BLACK (BL)

CERTIFICATIONS
CE UKCA UL IP20

studioc

DIMENSIONS




FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL	**INSULATION RATING**	CLASS II
FINISH	SATIN BLACK (BL)	**IP RATING**	IP20
LAMPHOLDER TYPE	INTEGRAL LED	**WIDTH**	35
INTEGRAL LIGHT SOURCE	LED 1W 2700K	**HEIGHT**	35
COLOUR TEMPERATURE	2700K	**PROJECTION**	100MM
WATTAGE (W) - INTEGRAL LED	1W	**BACKPLATE DIMENSIONS**	32MM DIAMETER
CE	YES	**CUTOUT DIMENSIONS**	14MM DIAMETER
UKCA	YES	**NET PRODUCT WEIGHT**	0.3KG
UL	YES	**OVERALL HEIGHT AS SHOWN**	32MM
DRIVER LOCATION	REMOTE	**OVERALL WIDTH AS SHOWN**	32MM
DIMMABLE AS STANDARD?	BY REQUEST ONLY		

FOR MORE INFORMATION ABOUT THIS PRODUCT:
Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400
Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom
wordpress-700079-2614039.cloudwaysapps.com

CHELSOM

EST. 1947






LED/418

Revision A

CHELSOM


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source
of Energy Efficiency Class E
Regulation 2021 No. 1095



Non-replaceable
light source



Control gear
replaceable by
qualified person

www.chelsom.co.uk