



FEATURES

DIMMABLE INTEGRAL LED LIGHT SPARKLES AND REFLECTS THROUGH INDIVIDUAL SOLID CLEAR GLASS RODS.

MATERIAL

STEEL AND GLASS


FINISH

POLISHED BRASS (PB) WITH CLEAR GLASS

CERTIFICATIONS

CE UK CA IP20

DIMENSIONS



FULL TECHNICAL SPECIFICATION

| | | | |
|----------------------------|---|-------------------------|-------------|
| MATERIAL | STEEL AND GLASS | DIMMING TYPE | 1-10V |
| FINISH | POLISHED BRASS (PB) WITH CLEAR GLASS | INSULATION RATING | CLASS I |
| LAMPHOLDER TYPE | INTEGRAL LED | IP RATING | IP20 |
| INTEGRAL LIGHT SOURCE | LED 9W 2700K | WIDTH | 140 |
| COLOUR TEMPERATURE | 2700K | HEIGHT | 500 |
| WATTAGE (W) - INTEGRAL LED | 9W | PROJECTION | 90MM |
| CE | YES | BACKPLATE DIMENSIONS | 470 X 115MM |
| UKCA | YES | NET PRODUCT WEIGHT | 5KG |
| UL | FOR UL PLEASE ENQUIRE. | OVERALL HEIGHT AS SHOWN | 500MM |
| DRIVER LOCATION | INTEGRAL | OVERALL WIDTH AS SHOWN | 140MM |
| DIMMABLE AS STANDARD? | YES | | |

FOR MORE INFORMATION ABOUT THIS PRODUCT:





Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

wordpress-700079-2614039.cloudwaysapps.com

— CHELSOM —

EST. 1947




CI/36/W2

Revision A

— CHELSOM —


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



LED light source replaceable by qualified person



Control gear replaceable by qualified person

www.chelsom.co.uk