



FEATURES

INTEGRAL LED LIGHT SHINES LIGHT UPWARDS INTO A HEAVILY FROSTED GLASS CANDLE WITHIN A SPARKLING CLEAR GLASS CHIMNEY. THE GLASS CHIMNEY SITS IN A HEXAGONAL CUP AND HAS A DELICATE TOP CAP. SUITABLE FOR BATHROOM USE, IP44. SUPPLIED FLAT-PACKED TO REDUCE PACKAGING VOLUME AND CARBON FOOTPRINT.

MATERIAL

STEEL AND GLASS


FINISH

ENGLISH BRASS (EBR) WITH CLEAR AND FROSTED GLASS

CERTIFICATIONS

CE UK CA IP44

DIMENSIONS



FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL AND GLASS	INSULATION RATING	CLASS I
FINISH	ENGLISH BRASS (EBR) WITH CLEAR AND FROSTED GLASS	IP RATING	IP44
LAMPHOLDER TYPE	INTEGRAL LED	BATHROOM ZONE	ZONE 2
INTEGRAL LIGHT SOURCE	LED 3W 2700K	WIDTH	110
COLOUR TEMPERATURE	2700K	HEIGHT	375
WATTAGE (W) - INTEGRAL LED	3W	PROJECTION	185MM
CE	YES	BACKPLATE DIMENSIONS	240 X 100MM
UKCA	YES	NET PRODUCT WEIGHT	2KG
UL	FOR UL PLEASE ENQUIRE.	OVERALL HEIGHT AS SHOWN	375MM
DRIVER LOCATION	INTEGRAL	OVERALL WIDTH AS SHOWN	110MM
DIMMABLE AS STANDARD?	BY REQUEST ONLY		

FOR MORE INFORMATION ABOUT THIS PRODUCT:





Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

wordpress-700079-2614039.cloudwaysapps.com

— CHELSOM —

EST. 1947



RG/3/W1


Revision A

www.chelsom.co.uk

— CHELSOM —


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



LED light source replaceable by qualified person



Control gear replaceable by qualified person

www.chelsom.co.uk