

EST. 1947





### **FEATURES**

AN ORGANIC DESIGN GIVING A RANDOM PATTERN OF ARMS AND OPAL GLOBES. GLASSES HAVE THREADED INSERTS TO SCREW ON FOR A DURABLE FIXING. CUSTOM DESIGNS AND SIZES CAN BE MANUFACTURED. SUPPLIED FLAT-PACKED TO REDUCE PACKAGING VOLUME AND CARBON FOOTPRINT.

### **MATERIAL**

STEEL AND GLASS

#### **FINISH**

BRUSHED BRASS (BRB) WITH MATT OPAL GLASS

### **RECOMMENDED LAMP**

9 X E14 4.5W LED 2700K

## **CERTIFICATIONS**

**C** € 器 以 🛓 IP20

## **DIMENSIONS**



## **FULL TECHNICAL SPECIFICATION**


MATERIAL	STEEL AND GLASS	DIMMING TYPE	PHASE
FINISH	BRUSHED BRASS (BRB)	INSULATION RATING	CLASSI
	WITH MATT OPAL GLASS	IP RATING	IP20
LAMPHOLDER TYPE	E14	WIDTH	1200
RECOMMENDED LAMP	9 X E14 4.5W LED 2700K	HEIGHT	365
MAX WATTAGE (RETROFIT)	30W		
CE	YES	CEILING PLATE DIMENSIONS	120MM DIAMETER
CE	1 E3	NET PRODUCT WEIGHT	9KG
UKCA	YES	OVERALL HEIGHT AS SHOWN	365MM
UL	YES		
SUSPENSION TYPE	FIXED ROD	OVERALL WIDTH AS SHOWN	1200MM
SOSPENSION TIPE	TIALD ROD		
DIMMABLE AS STANDARD?	YES		


## FOR MORE INFORMATION ABOUT THIS PRODUCT:


Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

# - CHELSOM -

**EST. 1947** 







CE/9
Revision A

## - CHELSOM-

**EST. 1947** 

## **FOLLOW THE NUMBERED ASSEMBLY SEQUENCE**

