

PICTURE LIGHTS

PL/6/300/C

EST. 1947



FEATURES

ADJUSTABLE SLIM HEAD WITH FRONT BAFFLE TO PREVENT GLARE. WARM WHITE INTEGRAL LED WITH FROSTED DIFFUSER FOR GOOD LIGHT OUTPUT. DIMMING OPTIONS AVAILABLE FOR MINIMUM ORDER QUANTITIES.

MATERIAL

STEEL WITH ACRYLIC DIFFUSER

FINISH

POLISHED CHROME (C)

CERTIFICATIONS

C € ¼ ± IP20

DIMENSIONS



FULL TECHNICAL SPECIFICATION


MATERIAL	STEEL WITH ACRYLIC	DIMMABLE AS STANDARD?	BY REQUEST ONLY
	DIFFUSER	INSULATION RATING	CLASSI
FINISH	POLISHED CHROME (C)	IP RATING	IP20
LAMPHOLDER TYPE	INTEGRAL LED	WIDTH	300
INTEGRAL LIGHT SOURCE	LED 6W 2700K	HEIGHT	63
COLOUR TEMPERATURE	2700K		
WATTAGE (W) - INTEGRAL LED	6W	PROJECTION	200MM
• •		BACKPLATE DIMENSIONS	65 X 145MM
CE	YES	NET PRODUCT WEIGHT	1.2KG
UKCA	YES	OVERALL HEIGHT AS SHOWN	65MM
UL	FOR UL PLEASE ENQUIRE.		
DRIVER LOCATION	INTEGRAL	OVERALL WIDTH AS SHOWN	300MM


FOR MORE INFORMATION ABOUT THIS PRODUCT:


Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

- CHELSOM -

EST. 1947







PL/6/300


Revision A

www.chelsom.co.uk

-CHELSOM-

EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE



SLR Information

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



LED light source replaceable by qualified person



Control gear replaceable by qualified person

www.chelsom.co.uk