



STRIKING OVERSCALED CYLINDRICAL HEAD GIVES AMBIENT ROOM LIGHT THROUGH THE MATT OPAL GLASS TOP DOME AND DIRECTIONAL TASK LIGHT FROM BELOW. HEAD SWIVELS RIGHT/LEFT WITH A MECHANICAL STOP TO PREVENT OVER ROTATION.

MATERIAL STEEL AND GLASS WITH ACRYLIC DIFFUSER

FINISH BRUSHED NICKEL (BN)

CERTIFICATIONS CERTIFICATIONS

DIMENSIONS



FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL AND GLASS WITH ACRYLIC DIFFUSER
FINISH	BRUSHED NICKEL (BN)
LAMPHOLDER TYPE	INTEGRAL LED
INTEGRAL LIGHT SOURCE	2 X LED 3W 2700K
COLOUR TEMPERATURE	2700K
WATTAGE (W) - INTEGRAL LED	6W
CE	YES
UKCA	YES
UL	FOR UL PLEASE ENQUIRE.

DRIVER LOCATION	INTEGRAL
DIMMABLE AS STANDARD?	BY REQUEST ONLY
INSULATION RATING	CLASS I
IP RATING	IP20
PROJECTION	165MM
BACKPLATE DIMENSIONS	100MM DIAMETER
NET PRODUCT WEIGHT	1.75KG
OVERALL HEIGHT AS SHOWN	450MM
OVERALL WIDTH AS SHOWN	100MM

FOR MORE INFORMATION ABOUT THIS PRODUCT: Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom wordpress-700079-2614039.cloudwaysapps.com



