



FEATURES

IP44 BATHROOM WALL LIGHT WITH HEXAGONAL DETAILED END CAPS AND FAUX ALABASTER DIFFUSERS. SUITABLE FOR BEDSIDE, CORRIDORS AND PUBLIC SPACES, THIS WALL LIGHT MAY ALSO BE MOUNTED HORIZONTALLY.

MATERIAL

STEEL WITH ACRYLIC


FINISH

BRUSHED BRASS (BRB) WITH FAUX ALABASTER

CERTIFICATIONS

CE UK CA IP44

DIMENSIONS



FULL TECHNICAL SPECIFICATION

MATERIAL	STEEL WITH ACRYLIC	DIMMABLE AS STANDARD?	BY REQUEST ONLY
FINISH	BRUSHED BRASS (BRB) WITH FAUX ALABASTER	INSULATION RATING	CLASS I
LAMPHOLDER TYPE	INTEGRAL LED	IP RATING	IP44
INTEGRAL LIGHT SOURCE	LED 10W 2700K	BATHROOM ZONE	ZONE 2
COLOUR TEMPERATURE	2700K	PROJECTION	105MM
WATTAGE (W) - INTEGRAL LED	10W	BACKPLATE DIMENSIONS	340 X 50MM
CE	YES	NET PRODUCT WEIGHT	3KG
UKCA	YES	OVERALL HEIGHT AS SHOWN	400MM
UL	FOR UL PLEASE ENQUIRE.	OVERALL WIDTH AS SHOWN	90MM
DRIVER LOCATION	INTEGRAL		

FOR MORE INFORMATION ABOUT THIS PRODUCT:






Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400

Chelsom Limited, Heritage House, Clifton Road, Blackpool, Lancashire FY4 4QA, United Kingdom

wordpress-700079-2614039.cloudwaysapps.com

— CHELSOM —


EST. 1947



— CHELSOM —


EST. 1947

FOLLOW THE NUMBERED ASSEMBLY SEQUENCE




SLR Information

This product contains a light source
of Energy Efficiency Class E
Regulation 2021 No. 1095



LED light source
replaceable by
qualified person



Control gear
replaceable by
qualified person

www.chelsom.co.uk