

EST. 1947





### **FEATURES**

A SIMPLE BUT EFFECTIVE PUBLIC AREA WALL LIGHT GIVING A DEFINED UP AND DOWN LIGHT PATTERN ONTO WALLS. CAN BE USED INDIVIDUALLY OR GROUPED TO MAKE A DRAMATIC DECORATIVE LIGHT EFFECT. DRIVERS ARE INTEGRAL.

#### **MATERIAL**

ALUMINIUM AND STEEL

#### FINISH

SATIN BLACK WITH WHITE INTERIOR (BL/W)

#### **CERTIFICATIONS**

**C €** ¼ ± IP20

#### **DIMENSIONS**

90		120	
	105		8
105	_	_	

## **FULL TECHNICAL SPECIFICATION**


MATERIAL	ALUMINIUM AND STEEL	DRIVER LOCATION	INTEGRAL
FINISH	SATIN BLACK WITH WHITE	DIMMABLE AS STANDARD?	BY REQUEST ONLY
	INTERIOR (BL/W)	INSULATION RATING	CLASSI
LAMPHOLDER TYPE	INTEGRAL LED	IP RATING	IP20
INTEGRAL LIGHT SOURCE	LED 5W 2700K	PROJECTION	120MM
COLOUR TEMPERATURE	2700K	BACKPLATE DIMENSIONS	80 X 90MM
WATTAGE (W) - INTEGRAL LED	5W	NET PRODUCT WEIGHT	0.65KG
CE	YES	OVERALL HEIGHT AS SHOWN	105MM
UKCA	YES		
UL	FOR UI PLEASE ENQUIRE	OVERALL WIDTH AS SHOWN	105MM


### FOR MORE INFORMATION ABOUT THIS PRODUCT:


Email: sales@chelsom.co.uk | Call: +44 (0)1253 831400


# - CHELSOM -


**EST. 1947** 











CB/9/WW


**Revision A** 

www.chelsom.co.uk

# - CHELSOM-


EST. 1947

## FOLLOW THE NUMBERED ASSEMBLY SEQUENCE



### **SLR Information**

This product contains a light source of Energy Efficiency Class E Regulation 2021 No. 1095



LED light source replaceable by qualified person



Control gear replaceable by qualified person

www.chelsom.co.uk